

**indelB**



**AUTOCLIMA**

SYSTEMS,  
AIR CONDITIONING



AND  
REFRIGERATION  
SYSTEMS  
FOR VEHICLES

# Sales Conditions

## 1. GENERAL PROVISIONS

(a) The terms and conditions set out below (the "General Conditions of Sale") form an integral part of the contracts concluded between AUTOCLIMA and the Buyer for the supply of AUTOCLIMA products (the "Products");  
(b) The General Conditions of Sale apply to all transactions concluded between AUTOCLIMA and the Buyer without the need for an express reference to them or a specific agreement to this effect at the conclusion of each individual transaction. Any different condition or term applies only if confirmed in writing by AUTOCLIMA;  
(c) AUTOCLIMA reserves the right to modify, integrate or vary the General Conditions of Sale, attaching such variations to the offers or to any correspondence sent in writing to the Buyer. Such variations will be considered as accepted by the Buyer, after 30 (thirty) days from the date of receipt, without prejudice to the Buyer's right to declare in writing to AUTOCLIMA, within such term, any intention not to accept them.

## 2. ORDERS:

(a) All orders must be sent in writing (e-mail, post).  
(b) AUTOCLIMA's offers are always to be considered subject to final reconfirmation by AUTOCLIMA, even after acceptance by the Buyer, in particular with reference to quantities, prices and delivery terms.  
(c) Orders placed by the Buyer are not considered accepted until they have been confirmed in writing by AUTOCLIMA. In the event that AUTOCLIMA does not provide written confirmation of an order negotiated verbally, the issuing of the invoice by AUTOCLIMA or the execution of the order by AUTOCLIMA will be considered as confirmation.  
(d) Orders and/or changes to orders placed verbally or by telephone must be confirmed in writing by the Buyer. Otherwise AUTOCLIMA assumes no responsibility for any errors or possible misunderstandings.

## 3. PRICES:

unless otherwise agreed, orders will be processed according to the prices in force on their date of issue. The prices in the AUTOCLIMA price list are expressed in Euros (€) and are net of VAT and installation and replace and cancel all previous ones, together with any other previous communication in this regard. AUTOCLIMA reserves the right to change the prices in its price list without prior notice. Packaging is included in the price.

## 4. DELIVERY TERMS

(a) Unless otherwise agreed in writing, any delivery term indicated is not binding for AUTOCLIMA. Unless otherwise agreed between the parties, the indicative delivery term is that specified in the order confirmation;  
(b) AUTOCLIMA reserves the right to make partial deliveries, invoicing the Buyer for the products delivered;  
(c) Any liability for delivery resulting from force majeure or other unforeseeable events not attributable to AUTOCLIMA, including, without limitation, strikes, natural disasters, wars, lockouts, provisions of the public administration, subsequent blocks on export or import possibilities, in consideration of their duration and scope, release AUTOCLIMA from the obligation to respect any agreed delivery deadline;  
(d) AUTOCLIMA is not obliged to accept returns of products, unless expressly agreed in writing. Any costs incurred for this purpose are borne by the Buyer.

## 5. RETURNS:

all material is returned FCA Cambiano (TO). The goods travel at the buyer's risk. Faults, shortages or damages occurring during transport must be contested to the courier.

## 6. RETURNS OF GOODS:

returns of goods due to order cancellations or errors in the formulation of the order will be subject to prior written authorization by AUTOCLIMA. In any case, the material must be returned carriage paid and completely intact in all its parts. In addition, a flat rate reduction of 20% of the credit will be applied to cover the costs of management, control and restocking. In any case, returns of material are not permitted without written authorization by AUTOCLIMA SPA.

## 7. CONFIDENTIALITY:

the Buyer undertakes not to disclose or use, in ways other than those provided for by the contractual obligations, the commercial, corporate and technical data and information of which he may become aware during the execution of the contract itself.

## 8. PAYMENT:

Until full payment, the goods will remain the property of AUTOCLIMA SPA (without prejudice to the transfer of any risk relating to the same to the buyer). Any delay in payment will automatically generate the suspension of deliveries and any other service or provision in progress. Without prejudice to the legal actions that AUTOCLIMA intends to pursue, interest will also be applied equal to the discount rate published from time to time by the Bank of Italy, plus a penalty of 2% monthly, on the amount of the value due, calculated from the due date to the date of actual payment.

## 9. DUTY OF INSPECTION AND ACCEPTANCE OF THE PRODUCTS:

(a) Upon taking delivery of the Products, the Buyer must immediately:  
(i) check the quantities and packaging of the Products and record any objections in the delivery note as well as accepting the goods from the courier "with reservation";  
(ii) carry out a conformity check of the Products with respect to what is indicated in the order confirmation and record any discrepancy in the delivery note.  
(b) In the event of a complaint of defects, the Buyer must comply with the following procedures and terms:  
(i) the communication must be made within no more than 2 (two) working days from the date of receipt of the Products by the Buyer. In the event that the complaint relates to a defect that, despite the initial inspection, has remained hidden, the complaint must be made as soon as possible by the end of the working day on which the defect was discovered and, in any case, no later than 8 (eight) working days from the date of receipt of the Products;  
(ii) the detailed communication must be sent in writing to AUTOCLIMA within the terms indicated above. Any communication made by telephone will not be accepted;  
(iii) the communication must clearly specify the type and amount of the alleged defects, photographs proving the damage and shipping documents;  
(iv) the Buyer agrees to make the disputed Products available free of charge, upon simple request by AUTOCLIMA, for inspection; such inspection will be carried out by AUTOCLIMA or by an expert appointed by AUTOCLIMA.  
(c) No objection regarding the quantities, quality, type and packaging of the Products may be made except through communication on the delivery note, in accordance with the procedure indicated above.  
(d) Any Product for which no objection has been raised in accordance with the procedures and terms indicated above is considered approved and accepted by the Buyer.

## 10. PROCESSING OF PERSONAL DATA:

The Buyer's personal data will be processed in accordance with the provisions of the European and Italian legislation on the processing of personal data (EU Reg. 679/2016; Legislative Decree 196/2003 and subsequent amendments). AUTOCLIMA informs the Buyer that AUTOCLIMA SpA is the data controller and that the Buyer's personal data are collected and processed exclusively for the execution of this agreement and the obligations established by law, by a European regulation or by other applicable legislation. The Buyer declares to have received from AUTOCLIMA, before the collection of personal data by the same, the information referred to in art. 13 of EU Regulation 679/2016 intended for customers.

## 11. WARRANTY:

The warranty period for our products is 24 months from the date of installation on the vehicle, proven by the Warranty Certificate duly completed in all its parts and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. with a limit of 100,000 km travelled (or 1600 hours of operation). In the event that the Buyer is a private consumer, the warranty period will last 24 months from the date of installation on the vehicle, and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. Each A/C system component installed separately from other AUTOCLIMA products will not benefit from any Warranty. The air conditioners and refrigerators produced by AUTOCLIMA are exclusively intended for the conditioning of spaces occupied by people and the refrigeration of foodstuffs respectively. Any other use or application not expressly authorised in writing by AUTOCLIMA will void the warranty and release AUTOCLIMA from any liability for damage to people, animals or things. AUTOCLIMA will not be liable for defects in the products that are not covered by the legal guarantee of conformity, such as damage caused by normal wear and tear, accidents or unauthorised modifications. The Warranty is made operational only on interventions carried out by AUTOCLIMA Authorised Service Points. The validity of the Warranty ceases when the defect is attributable to incorrect installation, non-compliant use, lack of maintenance and for all transformations, modifications or interventions not authorised by AUTOCLIMA or not carried out by our Authorised Service Points. Consumable materials subject to natural wear and tear such as, for example, belts, filters, refrigerant, etc. are not covered by the warranty. For further details, refer to the "International Warranty Procedure".

## 12. USE OF THE BRAND:

the name, brand and logos representing AUTOCLIMA belong to the latter and cannot be used by the Buyer unless expressly authorised. The use of the trademark, logo and other distinctive signs of the company is permitted only with prior written authorization. The use of the trademark in such a way as to damage the reputation of the company or confuse consumers is prohibited. The trademark is protected by intellectual property laws. Any unauthorized use will be prosecuted.

## 13. APPLICABLE LAW AND JURISDICTION:

These general conditions of sale are governed by Italian law. The court of Turin has jurisdiction over any dispute.

## 14. FINAL PROVISIONS:

(a) The invalidity in whole or in part of individual provisions of these General Conditions of Sale does not affect the validity of the remaining provisions.  
(b) These General Conditions of Sale are drawn up in two languages: Italian and English. In the event of doubts of interpretation, the Italian version will prevail. Pursuant to and for the purposes of Articles 1341 and 1342 of the Italian Civil Code, the Buyer specifically approves the provisions referred to below: Art. 1 (b) - Applicability of the general conditions of sale to all contracts; Art. 3 - Prices and payment terms; Art. 4 - Delivery terms; Art. 5 - Returns; Art. 8 - Payment; Art. 9 - Duty to inspect and accept products; Art. 11 - Warranty terms; Art. 12 - Use of the trademark; Art. 13 - Applicable law and competent court; Art. 14 Final provisions.

# Index

## Air Conditioning

---

Modula

pag. 5

---

# AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

CONDIZIONAMENTO



# MODULA AIR CONDITIONING

MODULA AIR  
CONDITIONING

MODULA AIR  
CONDITIONING

MODULA AIR  
CONDITIONING

MODULA AIR  
CONDITIONING

# Modula



**Control wiring extension kit for RT 40 / RT 60**

Cod.	80821104
------	----------

NOTE:



**Digital control unit kit for RT 40**

	12 V	24 V
Cod.	80821105.1	80821106.1
Voltage	12 V	24 V
Controls	Digital	Digital

NOTE:

# Modula



## E 40 SUPER ALASKA

	12 V	24 V
<b>Cod.</b>	<b>20201435</b>	<b>20201436</b>
<b>Electric Absorption</b>	12 A@12V	6 A@24V
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	5,5 Kg	5,5 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	4,0 kW	4,0 kW
<b>Controls</b>	Manuals	Manuals
<b>Air flow</b>	450 m3/h	450 m3/h

NOTE: All evaporators can be integrated with saniclina



## EV 40/3 VERTICAL - wall mounted

	12 V	24 V
<b>Cod.</b>	<b>20201540</b>	<b>20201541</b>
<b>Electric Absorption</b>	13A 12V	7 A@24 V
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	7 Kg	7 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	4,6 kW	4,6 kW
<b>Controls</b>	Manuals	Manuals
<b>Air flow</b>	530 m3/h	530 m3/h

NOTE: All evaporators can be integrated with saniclina

## Modula



### Hose and fitting set for Modula MK-UNDERFLOOR - Vertical

Comprende tubazioni e raccordi.

Cod.	<b>68685555</b>
------	-----------------

NOTE:



### MODULA MK electric

	12 V	24 V
Cod.	<b>40471018.1</b>	<b>40471019.1</b>
Electric Absorption	60 A	30 A
Voltage	12 V	24 V
Coolant	R134a	R134a
Cooling capacity	3 kW	3 kW
Compressor box weight	8 Kg	8 Kg

NOTE:

# Modula



## MODULA MK electric

The capacitor group can be chosen by those who for reasons of space cannot use the complete group. It encloses the compressor, the capacitor and an electric or hydraulic motor. It can be placed in the most favorable position for the application and can be combined with an evaporator of your choice among those recommended. Electrical absorption: 70A for the 12V version (requires a properly sized alternator). 35A for the 24V version (requires a properly sized alternator).

	12 V	24 V
<b>Cod.</b>	<b>30301247.1</b>	<b>30301248.1</b>
<b>Engine</b>	Elettrico	Elettrico
<b>A/C Type</b>	MODULA MK - Motorcondensing unit	MODULA MK - Motorcondensing unit
<b>Electric Absorption</b>	70 A (max)	35 A (max)
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	22,5Kg	22,5Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3Kw	3Kw

NOTE: MOQ 10x Special vers.



## MODULA MK electric underfloor

The capacitor group can be chosen by those who for reasons of space cannot use the complete group. It encloses the compressor, the capacitor and an electric or hydraulic motor. It can be placed in the most favorable position for the application and can be combined with an evaporator of your choice among those recommended. Electrical absorption: 70A for the 12V version (requires a properly sized alternator). 35A for the 24V version (requires a properly sized alternator).

	12 V	24 V
<b>Cod.</b>	<b>30301370</b>	<b>30301371</b>
<b>Engine</b>	Elettrico	Elettrico
<b>A/C Type</b>	MODULA MK - Motorcondensing unit	MODULA MK - Motorcondensing unit
<b>Electric Absorption</b>	70 A (max)	35 A (max)
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	22,5Kg	22,5Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3Kw	3Kw

NOTE: MOQ 10x Special vers.

# Modula



## MODULA MK hydraulic

	12 V	24V
<b>Cod.</b>	<b>30301249</b>	<b>30301252</b>
<b>Engine</b>	Idraulico	Idraulico
<b>A/C Type</b>	MODULA MK - Motorcondensing unit	MODULA MK - Motorcondensing unit
<b>Electric Absorption</b>	14 A	7A
<b>Voltage</b>	12 V	24V
<b>Weigh</b>	30 Kg	30 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3 kW	3 kW

NOTE: MOQ 10x Special vers.



## MODULA MK Vertical electric

The capacitor group can be chosen by those who for reasons of space cannot use the complete group. It encloses the compressor, the capacitor and an electric or hydraulic motor. It can be placed in the most favorable position for the application and can be combined with an evaporator of your choice among those recommended. Electrical absorption: 70A for the 12V version (requires a properly sized alternator). 35A for the 24V version (requires a properly sized alternator).

	12 V	24V
<b>Cod.</b>	<b>30301372</b>	<b>30301373</b>
<b>Engine</b>	Elettrico	Elettrico
<b>A/C Type</b>	MODULA MK - Motorcondensing unit	MODULA MK - Motorcondensing unit
<b>Electric Absorption</b>	70 A (max)	35 A (max)
<b>Voltage</b>	12 V	24V
<b>Weigh</b>	22,5Kg	22,5Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3Kw	3Kw

NOTE: MOQ 10x Special vers.

# Modula



## MODULA RT PLUS

It is an air conditioner that only needs installation and electrical connection, suitable for medium-small cabins. DisAlso available in the version with electric heating and equipped with an air diffuser and manual controls. The system is pre-loaded with R134a refrigerant. Electrical absorption: 100A for the 12V version (requires a properly sized alternator). 50A for the 24V version (requires a properly sized alternator). It is also available in the following supply voltages from 40Vdc to 96Vdc; from 76Vdc to 118Vdc;

	12 V	24 V
<b>Cod.</b>	10101202	10101193
<b>Electric Absorption</b>	100A	50 A
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	28 Kg	28 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3,5 kW	3,5 kW
<b>Air flow</b>	550 m3/h	550 m3/h

NOTE: MOG 10x Vers.



## MODULA RT SLIM 12V

	12 V	24 V
<b>Cod.</b>	10101190	10101184
<b>Electric Absorption</b>	80 A	80 A
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	28 Kg	28 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3 kW	3 kW
<b>Air flow</b>	550 m3/h	550 m3/h

NOTE:

# Modula



### MODULA RTH PLUS with electric heater

It's an air conditioner that needs the single installation and electrical connection, suitable for small-medium-sized cabins. Also available in the version with electric heating and equipped with an air diffuser and manual controls. The system is pre-loaded with R134a refrigerant. Electrical absorption: 100A for the 12V version with heating function (requires a properly sized alternator). 50A for the 24V version with heating function (requires a correctly sized alternator). It is also available in the following supply voltages from 40Vdc to 96Vdc; from 76Vdc to 118Vdc; &Nbsp;

	12 V	24 V
<b>Cod.</b>	<b>10101203</b>	<b>10101201</b>
<b>Electric Absorption</b>	100A	45A
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	30 Kg	30 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3,5 kW	3 kW
<b>Heating capacity</b>	0.95 kW	0.95 kW
<b>Air flow</b>	550 m3/h	550 m3/h

NOTE:



### Modula RTH Slim w/electrical heater

	12 V	24 V
<b>Cod.</b>	<b>10101200</b>	<b>10101201</b>
<b>Electric Absorption</b>	90 A	45A
<b>Voltage</b>	12 V	24 V
<b>Weigh</b>	30 Kg	30 Kg
<b>Coolant</b>	R134a	R134a
<b>Cooling capacity</b>	3 kW	3 kW
<b>Heating capacity</b>	0.95 kW	0.95 kW
<b>Air flow</b>	550 m3/h	550 m3/h

NOTE:

## Modula



### Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

96V

Cod.	A0FF60096ES
Product	SEA
Voltage	96V
Heating capacity	YES
Air flow	450 m3/h

NOTE:



### Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

24V

Cod.	A0FF60024ES
Product	SEA
Voltage	24V
Cooling capacity	2.8Kw
Heating capacity	YES
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

**Modula**



**Pataca-Electric air conditioner FORKLIFT**

Electric roof air conditioning with electric compressor included.

**48V**

<b>Cod.</b>	<b>AOFF60048ES</b>
<b>Product</b>	SEA
<b>Voltage</b>	48V
<b>Cooling capacity</b>	3Kw
<b>Heating capacity</b>	YES
<b>Electric Absorption</b>	22A
<b>Weigh</b>	32.5kg
<b>Air flow</b>	450 m3/h

NOTE:



**Pataca-Electric air conditioner FORKLIFT**

Electric roof air conditioning with electric compressor included.

**80V**

<b>Cod.</b>	<b>AOFF60080ES</b>
<b>Product</b>	SEA
<b>Voltage</b>	80V
<b>Cooling capacity</b>	3Kw
<b>Heating capacity</b>	YES
<b>Electric Absorption</b>	14A
<b>Weigh</b>	32.5kg
<b>Air flow</b>	450 m3/h

NOTE:

**Modula**



**Pataca-Electric air conditioner FORKLIFT**

Electric roof air conditioning with electric compressor included.

**48V**

<b>Cod.</b>	<b>AOCF60048ES</b>
<b>Product</b>	SEA
<b>Voltage</b>	48V
<b>Cooling capacity</b>	3Kw
<b>Heating capacity</b>	1,6Kw
<b>Electric Absorption</b>	22A
<b>Weigh</b>	32.5kg
<b>Air flow</b>	450 m3/h

NOTE:



**Pataca-Electric air conditioner FORKLIFT**

Electric roof air conditioning with electric compressor included.

**80V**

<b>Cod.</b>	<b>AOCF60080ES</b>
<b>Product</b>	SEA
<b>Voltage</b>	80V
<b>Cooling capacity</b>	3Kw
<b>Heating capacity</b>	1,6Kw
<b>Electric Absorption</b>	14A
<b>Weigh</b>	32.5kg
<b>Air flow</b>	450 m3/h

NOTE:

## Modula



### Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

96V

Cod.	AOCF60096ES
Product	SEA
Voltage	96V
Air flow	450 m3/h

NOTE:



### Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

24V

Cod.	AOCF60024ES
Product	SEA
Voltage	24V
Cooling capacity	2.8Kw
Heating capacity	1,6Kw
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

## UNIVERSAL ACCESSORIES



**STANDARD** assembly kit with frigoclik and refrimaster for equipment with evaporators max 6 kW

Cod.	<b>60600518</b>
------	-----------------

NOTE:



**ZAVORRA**-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

96V

Cod.	<b>A0FF70096ES</b>
------	--------------------

Product	SEA
---------	-----

Voltage	96V
---------	-----

Heating capacity	YES
------------------	-----

Air flow	450 m3/h
----------	----------

NOTE:

## Modula



### ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

48V

Cod.	A0FF70048ES
Product	SEA
Voltage	48V
Heating capacity	YES
Air flow	450 m3/h

NOTE:



### ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

80V

Cod.	A0FF70080ES
Product	SEA
Voltage	80V
Heating capacity	YES
Air flow	450 m3/h

NOTE:

## Modula



### ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

48V

Cod.	AOCF70048ES
Product	SEA
Voltage	48V
Air flow	450 m <sup>3</sup> /h

NOTE:



### ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

80V

Cod.	AOCF70080ES
Product	SEA
Voltage	80V
Air flow	450 m <sup>3</sup> /h

NOTE:

## Modula



### ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

96V

Cod.	A0CF70096ES
Product	SEA
Voltage	96V
Air flow	450 m3/h

NOTE:

# THE REFRIGERATION BY AUTOCLIMA

## HEADQUARTERS AND SUBSIDIARIES

**Sede di Cambiano**  
Via Cavalieri di Vittorio  
Veneto, 15  
10020 Cambiano (TO)  
Tel. +39 011 9443210  
Fax +39 011 9443230  
sales@autoclima.com

**Indel B Germany GmbH**  
Robert Bosch Str. 3  
64572 Büttelborn  
Germany  
Tel: +49 (6152) 187799 - 0  
Fax: +49 (6152) 187799 - 9  
info@autoclima.de

**Autoclima Iberica**  
Oficinas: C/ Vapor, 1  
Almacén: C/ Indústria,11  
08760 Martorell  
Barcelona (Spain)  
Tel: +34 931 220 235  
comercial@autoclima.com

**Autoclima Polska**  
Szkolna 11  
62-026 Gadki  
Poland  
Tel: +49 600751354  
info@autoclima.pl

**Autoclima Russia**  
143441, Moscow region,  
Krasnogorsky district,  
BP Greenwood,  
bld 1, office 212  
Tel +7 (495) 150-75-90  
info@indelb-rus.ru

**Indel B France**  
ZA des Perriers  
78500 Sartrouville - France  
T. +33 (1) 61.04.41.41  
Fax +33 (1) 39.57.44.21  
esc@esc-clim.com

**SEA S.R.L.**  
Via L. Lama, 8 - 48026  
Russi RA (Italia)  
Tel. +39 0544 582436  
+39 0544 583794  
info@sea-italia.com

## DEPOSITI ITALIA

**Deposito Roma**  
Via Lucio Mariani, 59  
00178 Roma - Italy  
Tel. +39 06 32091591  
Fax +39 06 32091592  
autoclimaroma@autoclima.com

**Deposito Bologna**  
Via della Fisica, 5 - loc. Cicogna  
40068 San Lazzaro di Savena (BO)  
Tel. +39 051 6256786  
Fax: +39 051 6250676  
autoclimabologna@autoclima.com

**Deposito Firenze**  
Via Boccaccio, 8  
50013 Campi Bisenzio (FI)  
Tel: +39 055 0540846  
Fax: +39 055 0540847  
autoclimafirenze@autoclima.com

**Deposito Alba**  
Viale Artigianato 30C  
12051 Alba (CN)  
Tel. +39 051 6256786  
Fax. +39 051 6250676  
alba@autoclima.com

**Deposito Rende**  
Contrada Piano di Maio  
87036 Rende (CS)  
Tel. +39 0984 447251

**Deposito Pero**  
Via Buonarroti 2/B  
20016 Pero (MI)  
Tel: +39 0362 1860178  
pero@autoclima.com

**Deposito Padova**  
Via dell'Industria, 70  
35129 Padova  
Tel: +39 049 7160243  
Fax: +39 049 7160244  
padova@autoclima.com

**Deposito Catania**  
Via Gioacchino Russo, 15 / A  
95100 Catania  
Tel: +39 095 3800043  
Fax: +39 095 3800044  
catania@autoclima.com

**Deposito Bari**  
S.P. 231 KM1,110 70026  
Modugno  
Tel: +39 080/5354165  
Fax: +39 3488809823  
bari@autoclima.com