

indelB



AUTOCLIMA

SYSTEMS,
AIR CONDITIONING



AND
REFRIGERATION
SYSTEMS
FOR VEHICLES

Sales Conditions

1. GENERAL PROVISIONS

(a) The terms and conditions set out below (the "General Conditions of Sale") form an integral part of the contracts concluded between AUTOCLIMA and the Buyer for the supply of AUTOCLIMA products (the "Products");
(b) The General Conditions of Sale apply to all transactions concluded between AUTOCLIMA and the Buyer without the need for an express reference to them or a specific agreement to this effect at the conclusion of each individual transaction. Any different condition or term applies only if confirmed in writing by AUTOCLIMA;
(c) AUTOCLIMA reserves the right to modify, integrate or vary the General Conditions of Sale, attaching such variations to the offers or to any correspondence sent in writing to the Buyer. Such variations will be considered as accepted by the Buyer, after 30 (thirty) days from the date of receipt, without prejudice to the Buyer's right to declare in writing to AUTOCLIMA, within such term, any intention not to accept them.

2. ORDERS:

(a) All orders must be sent in writing (e-mail, post).
(b) AUTOCLIMA's offers are always to be considered subject to final reconfirmation by AUTOCLIMA, even after acceptance by the Buyer, in particular with reference to quantities, prices and delivery terms.
(c) Orders placed by the Buyer are not considered accepted until they have been confirmed in writing by AUTOCLIMA. In the event that AUTOCLIMA does not provide written confirmation of an order negotiated verbally, the issuing of the invoice by AUTOCLIMA or the execution of the order by AUTOCLIMA will be considered as confirmation.
(d) Orders and/or changes to orders placed verbally or by telephone must be confirmed in writing by the Buyer. Otherwise AUTOCLIMA assumes no responsibility for any errors or possible misunderstandings.

3. PRICES:

unless otherwise agreed, orders will be processed according to the prices in force on their date of issue. The prices in the AUTOCLIMA price list are expressed in Euros (€) and are net of VAT and installation and replace and cancel all previous ones, together with any other previous communication in this regard. AUTOCLIMA reserves the right to change the prices in its price list without prior notice. Packaging is included in the price.

4. DELIVERY TERMS

(a) Unless otherwise agreed in writing, any delivery term indicated is not binding for AUTOCLIMA. Unless otherwise agreed between the parties, the indicative delivery term is that specified in the order confirmation;
(b) AUTOCLIMA reserves the right to make partial deliveries, invoicing the Buyer for the products delivered;
(c) Any liability for delivery resulting from force majeure or other unforeseeable events not attributable to AUTOCLIMA, including, without limitation, strikes, natural disasters, wars, lockouts, provisions of the public administration, subsequent blocks on export or import possibilities, in consideration of their duration and scope, release AUTOCLIMA from the obligation to respect any agreed delivery deadline;
(d) AUTOCLIMA is not obliged to accept returns of products, unless expressly agreed in writing. Any costs incurred for this purpose are borne by the Buyer.

5. RETURNS:

all material is returned FCA Cambiano (TO). The goods travel at the buyer's risk. Faults, shortages or damages occurring during transport must be contested to the courier.

6. RETURNS OF GOODS:

returns of goods due to order cancellations or errors in the formulation of the order will be subject to prior written authorization by AUTOCLIMA. In any case, the material must be returned carriage paid and completely intact in all its parts. In addition, a flat rate reduction of 20% of the credit will be applied to cover the costs of management, control and restocking. In any case, returns of material are not permitted without written authorization by AUTOCLIMA SPA.

7. CONFIDENTIALITY:

the Buyer undertakes not to disclose or use, in ways other than those provided for by the contractual obligations, the commercial, corporate and technical data and information of which he may become aware during the execution of the contract itself.

8. PAYMENT:

Until full payment, the goods will remain the property of AUTOCLIMA SPA (without prejudice to the transfer of any risk relating to the same to the buyer). Any delay in payment will automatically generate the suspension of deliveries and any other service or provision in progress. Without prejudice to the legal actions that AUTOCLIMA intends to pursue, interest will also be applied equal to the discount rate published from time to time by the Bank of Italy, plus a penalty of 2% monthly, on the amount of the value due, calculated from the due date to the date of actual payment.

9. DUTY OF INSPECTION AND ACCEPTANCE OF THE PRODUCTS:

(a) Upon taking delivery of the Products, the Buyer must immediately:
(i) check the quantities and packaging of the Products and record any objections in the delivery note as well as accepting the goods from the courier "with reservation";
(ii) carry out a conformity check of the Products with respect to what is indicated in the order confirmation and record any discrepancy in the delivery note.
(b) In the event of a complaint of defects, the Buyer must comply with the following procedures and terms:
(i) the communication must be made within no more than 2 (two) working days from the date of receipt of the Products by the Buyer. In the event that the complaint relates to a defect that, despite the initial inspection, has remained hidden, the complaint must be made as soon as possible by the end of the working day on which the defect was discovered and, in any case, no later than 8 (eight) working days from the date of receipt of the Products;
(ii) the detailed communication must be sent in writing to AUTOCLIMA within the terms indicated above. Any communication made by telephone will not be accepted;
(iii) the communication must clearly specify the type and amount of the alleged defects, photographs proving the damage and shipping documents;
(iv) the Buyer agrees to make the disputed Products available free of charge, upon simple request by AUTOCLIMA, for inspection; such inspection will be carried out by AUTOCLIMA or by an expert appointed by AUTOCLIMA.
(c) No objection regarding the quantities, quality, type and packaging of the Products may be made except through communication on the delivery note, in accordance with the procedure indicated above.
(d) Any Product for which no objection has been raised in accordance with the procedures and terms indicated above is considered approved and accepted by the Buyer.

10. PROCESSING OF PERSONAL DATA:

The Buyer's personal data will be processed in accordance with the provisions of the European and Italian legislation on the processing of personal data (EU Reg. 679/2016; Legislative Decree 196/2003 and subsequent amendments). AUTOCLIMA informs the Buyer that AUTOCLIMA SpA is the data controller and that the Buyer's personal data are collected and processed exclusively for the execution of this agreement and the obligations established by law, by a European regulation or by other applicable legislation. The Buyer declares to have received from AUTOCLIMA, before the collection of personal data by the same, the information referred to in art. 13 of EU Regulation 679/2016 intended for customers.

11. WARRANTY:

The warranty period for our products is 24 months from the date of installation on the vehicle, proven by the Warranty Certificate duly completed in all its parts and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. with a limit of 100,000 km travelled (or 1600 hours of operation). In the event that the Buyer is a private consumer, the warranty period will last 24 months from the date of installation on the vehicle, and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. Each A/C system component installed separately from other AUTOCLIMA products will not benefit from any Warranty. The air conditioners and refrigerators produced by AUTOCLIMA are exclusively intended for the conditioning of spaces occupied by people and the refrigeration of foodstuffs respectively. Any other use or application not expressly authorised in writing by AUTOCLIMA will void the warranty and release AUTOCLIMA from any liability for damage to people, animals or things. AUTOCLIMA will not be liable for defects in the products that are not covered by the legal guarantee of conformity, such as damage caused by normal wear and tear, accidents or unauthorised modifications. The Warranty is made operational only on interventions carried out by AUTOCLIMA Authorised Service Points. The validity of the Warranty ceases when the defect is attributable to incorrect installation, non-compliant use, lack of maintenance and for all transformations, modifications or interventions not authorised by AUTOCLIMA or not carried out by our Authorised Service Points. Consumable materials subject to natural wear and tear such as, for example, belts, filters, refrigerant, etc. are not covered by the warranty. For further details, refer to the "International Warranty Procedure".

12. USE OF THE BRAND:

the name, brand and logos representing AUTOCLIMA belong to the latter and cannot be used by the Buyer unless expressly authorised. The use of the trademark, logo and other distinctive signs of the company is permitted only with prior written authorization. The use of the trademark in such a way as to damage the reputation of the company or confuse consumers is prohibited. The trademark is protected by intellectual property laws. Any unauthorized use will be prosecuted.

13. APPLICABLE LAW AND JURISDICTION:

These general conditions of sale are governed by Italian law. The court of Turin has jurisdiction over any dispute.

14. FINAL PROVISIONS:

(a) The invalidity in whole or in part of individual provisions of these General Conditions of Sale does not affect the validity of the remaining provisions.
(b) These General Conditions of Sale are drawn up in two languages: Italian and English. In the event of doubts of interpretation, the Italian version will prevail. Pursuant to and for the purposes of Articles 1341 and 1342 of the Italian Civil Code, the Buyer specifically approves the provisions referred to below: Art. 1 (b) - Applicability of the general conditions of sale to all contracts; Art. 3 - Prices and payment terms; Art. 4 - Delivery terms; Art. 5 - Returns; Art. 8 - Payment; Art. 9 - Duty to inspect and accept products; Art. 11 - Warranty terms; Art. 12 - Use of the trademark; Art. 13 - Applicable law and competent court; Art. 14 Final provisions.

Index

Air Conditioning

Parking Cooler/Fresco

pag. 5

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

CONDIZIONAMENTO



PARKING

COOLER/FRESCO

PARKING

COOLER/FRESCO

PARKING

COOLER/FRESCO

PARKING

COOLER/FRESCO

PARKING

COOLER/FRESCO

Parking Cooler/Fresco



CUBE

	12 V	24 V
Cod.	10101112.1	10101109.1
Electric Absorption	44 A/h	18 A/h
Voltage	12 V	24 V
Weigh	19,5 kg	19,5 kg
Coolant	R134a	R134a
Condizioni di prova	Temp est. 32°C - Temp int. 25°C	Temp est. 32°C - Temp int. 25°C
Cooling capacity	950 W / 3250 Btu	950 W / 3250 Btu
Controls	Digital panel with remote control for electronic control of the T	Digital panel with remote control for electronic control of the T
Ventilation speed	6	6
Battery Protection	YES	YES
Telecomando	SI	SI
Timer	YES	YES
Heating capacity	300 W	300 W
Air flow	450 m ³ /h	450 m ³ /h

NOTE:



FRESCO 3000 BACK - 12V

	12 V	24 V
Cod.	12121803.2	12121543.3
Electric Absorption	30 A (max) - 16 A (standard)	14,5 A (max) - 7,5 A (standard)
Voltage	12 V	24 V
Compressor	Danfoss BD350GH	Danfoss BD350GH
Coolant	R134a	R134a
Cooling capacity	950 W / 3250 Btu	950 W / 3250 Btu
Controls	Digital	Digital
Installation	BACK	BACK
Ventilation speed	6	6
Battery Protection	YES	YES
Anti-tilt protection	SI	YES
Remote Controller	YES	YES
Timer	YES	
Air flow	250 m ³ /h	

NOTE:

Kit e accessori

CUBE



CODICE	DESCRIZIONE
60654464	Wiring extension for U-GO!
80821356	Power supply kit 24V-220V - 600 W with wire supplied
80821354	Power supply kit 24V-220V - 600 W with wire supplied


Parking Cooler/Fresco



Fresco 3000 RT

	12 V	24 V
Cod.	10101090	-
Electric Absorption	32A (max AC) - 16A (min)	15A (max AC) - 7,5A (min)
Voltage	12 V	24 V
Weigh	30 Kg	30 Kg
Compressor	Danfoss BD350GH	Danfoss BD350GH
Coolant	R134a	R134a
Cooling capacity	950 W / 3250 Btu	950 W / 3250 Btu
Controls	Digital	Digital
Installation	RT (Roof Top)	RT (Roof Top)
Evaporator air flow	450 mc/h	450 mc/h
Ventilation speed	6	6
Battery Protection	YES	YES
Anti-tilt protection	YES	YES
Remote Controller	YES	YES
Timer	YES	YES
Dimensioni esterne	965x605x199	965x605x199
Dimensioni interne	349x387x165	349x387x165

NOTE:



FRESCO 3000 RT - IVECO STRALIS AT - AD and EUROARGO fixing kit (sloping roof)

Cod. 80821202

NOTE:


Kit e accessori

Fresco 3000 RT



CODICE	DESCRIZIONE
80821202	FRESCO 3000 RT - IVECO STRALIS AT - AD and EUROCARGO fixing kit (sloping roof)
80821255	FRESCO 3000 RT fixing kit for DAF XF 105 SPACE CAB - CF 65/75/85 SPACE CAB
80821313	FRESCO 3000 RT fixing kit for DAF XF 105 SUPER SPACE CAB
80821186	FRESCO 3000 RT fixing kit for IVECO STRALIS AS Cube
80821256	FRESCO 3000 RT fixing kit for MAN TGX XL - TGA - TGS M/L - TGS LX - TGL L - TGL LX - TGM LX
80821201	FRESCO 3000 RT fixing kit for MB ACTROS MP3 (all cabins)
80821302	FRESCO 3000 RT fixing kit for MB ACTROS MP4 (all cabs)
80821263	FRESCO 3000 RT fixing kit for MB ATEGO and AXOR - L cabins
80821249	FRESCO 3000 RT fixing kit for RENAULT PREMIUM
80821370	Mounting kit for FRESCO 3000 RT for Renault T - High Cab - MY 2014
80821195	FRESCO 3000 RT fixing kit for SCANIA - R, P, G, TOP and HIGH LINE series
80821523	Standard Montage-Kit for FRESCO 3000 RT new generation
80821264	FRESCO 3000 RT fixing kit for VOLVO FH13-16 L2H3 (electric hatch)
80821180	FRESCO 3000 RT standard fixing kit
80821398	Standard mounting kit for FRESCO 3000 RT for recreational vehicles


Parking Cooler/Fresco



FRESCO 3000 RT fixing kit for DAF XF 105 SPACE CAB - CF 65/75/85 SPACE CAB

Cod. **80821255**

NOTE:




FRESCO 3000 RT fixing kit for DAF XF 105 SUPER SPACE CAB

Cod. **80821313**

NOTE:


Parking Cooler/Fresco



**FRESCO 3000 RT fixing kit for IVECO STRALIS AS
Cube**

Cod. **80821186**

NOTE:




**FRESCO 3000 RT fixing kit for MAN TGX XL - TGA -
TGS M/L - TGS LX - TGL L - TGL LX - TGM LX**

Cod. **80821256**

NOTE:

Parking Cooler/Fresco



FRESCO 3000 RT fixing kit for MB ACTROS MP3 (all cabins)

Cod. **80821201**

NOTE:




FRESCO 3000 RT fixing kit for MB ACTROS MP4 (all cabs)

Cod. **80821302**

NOTE:

Parking Cooler/Fresco



**FRESCO 3000 RT fixing kit for MB ATEGO and AXOR
- L cabins**

Cod. **80821263**

NOTE:




FRESCO 3000 RT fixing kit for RENAULT PREMIUM

Cod. **80821249**

NOTE:

Parking Cooler/Fresco



FRESCO 3000 RT fixing kit for SCANIA - R, P, G, TOP and HIGH LINE series

Cod. **80821195**

NOTE:



FRESCO 3000 RT fixing kit for VOLVO FH13-16 L2H3 (electric hatch)

Cod. **80821264**

NOTE:

Parking Cooler/Fresco



FRESCO 3000 RT standard fixing kit

Cod. **80821180**

NOTE:



Fresco 3000 TOP

24 V

Cod.	12121577.1
Electric Absorption	14,5 A (max) - 7,5 A (standard)
Voltage	24 V
Compressor	Danfoss BD350GH
Coolant	R134a
Cooling capacity	950 W / 3250 Btu
Controls	Digital
Installation	TOP
Evaporator air flow	250 mc/h
Ventilation speed	6
Weight of condensing unit	18,2 Kg
Condensing unit dimensions	645x435x195 mm
Weight of evaporating unit	4,2 Kg
Evaporating unit dimensions	625x107x260 mm
Battery Protection	YES
Anti-tilt protection	YES
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco 5000 BACK

24 V

Cod.	121211678.1
Electric Absorption	21A (max AC) - 11,5A (min)
Voltage	24 V
Controls	Digital
Installation	BACK
Ventilation speed	6
Weight of condensing unit	18,2 Kg
Weight of evaporating unit	5 Kg
Cooling capacity	1600 W / 5500 Btu
Evaporator air flow	250m/h
Compressor	Samsung
Battery Protection	YES
Remote Controller	YES
Timer	SI

NOTE:



Fresco 5000 RT

24 V

Cod.	10101138.2
Electric Absorption	23 A (max)
Voltage	24 V
Weigh	23 Kg
Compressor	Samsung
Height	140 mm
Coolant	R134a
Cooling capacity	1600 W / 5500 Btu
Controls	Digital
Installation	RT (Roof Top)
Evaporator air flow	650 mc/h
Ventilation speed	6
Battery Protection	YES
Anti-tilt protection	YES
Remote Controller	YES
Timer	YES

NOTE: Air conditioner from Quick assembly monoblock parking, cge uses the vehicle's hatch. Preloaded with R134a refrigerant, with a patented solution that guarantees mounting even on roofs with great inclination. Customized and universal fixing kits are available.


Kit e accessori

Fresco 5000 RT



CODICE	DESCRIZIONE
80821202.1	Mounting kit for FRESCO 5000 RT -IVECO STRALIS AT-AD and EUROCARGO
80821255.1	FRESCO 5000 RT fixing kit for DAF XF 105 SPACE CAB - CF 65/75/85 SPACE CAB
80821313.1	FRESCO 5000 RT fixing kit for DAF XF 105 SUPER SPACE CAB
80821682	FRESCO 5000 RT fixing kit for Ford F-MAX 500 HP
80821186.1	FRESCO 5000 RT fixing kit for IVECO STRALIS AS Cube
80821723.1	FRESCO 5000 RT fixing kit for MAN TGX My 2021 for GX-GM-GN cabins
80821256.1	FRESCO 5000 RT fixing kit for MAN TGX XL - TGA - TGS M/L - TGS LX - TGL L - TGL LX - TGM L - TGN LX
80821201.1	Outing kit for FRESCO5000 RT for MB ACTROS MP3 (all cabs)
80821302.1	FRESCO 5000 RT fixing kit for MB ACTORS MP4 (all cabs)
80821730.1	Fresco 5000 RT fixing kit for MB ACTROSS MP5 My 2019
80821180.1	FRESCO 5000 RT fixing kit for RENAULT MAGNUM - MAGNUM CLASSIC - MULTIPASS CAB
80821249.1	FRESCO 5000 RT fixing kit for RENAULT PREMIUM
80821370.1	FRESCO 5000 RT fixing kit for Renault T - Cab High - MY 2014
80821523.1	Fresco 5000 RT fixing kit for SCANIA my 2016 - NEW GENERATION


Parking Cooler/Fresco



**FRESCO 5000 RT fixing kit for DAF XF 105 SPACE
CAB - CF 65/75/85 SPACE CAB**

Cod. **80821255.1**

NOTE:




**FRESCO 5000 RT fixing kit for DAF XF 105 SUPER
SPACE CAB**

Cod. **80821313.1**

NOTE:

Parking Cooler/Fresco



FRESCO 5000 RT fixing kit for Ford F-MAX 500 HP

Cod. **80821682**

NOTE:

**FRESCO 5000 RT fixing kit for IVECO STRALIS AS
Cube**

Cod. **80821186.1**

NOTE:


Parking Cooler/Fresco



**FRESCO 5000 RT fixing kit for MAN TGX My 2021
for GX-GM-GN cabins**

Cod. **80821723.1**

NOTE:



**FRESCO 5000 RT fixing kit for MAN TGX XL - TGA -
TGS M/L - TGS LX - TGL L - TGL LX - TGM L - TGN
LX**

Cod. **80821256.1**

NOTE:


Parking Cooler/Fresco



FRESCO 5000 RT fixing kit for MB ACTORS MP4 (all cabs)

Cod. **80821302.1**

NOTE:



Fresco 5000 RT fixing kit for MB ACTROSS MP5 My 2019

Cod. **80821730.1**

NOTE:

Parking Cooler/Fresco



**FRESCO 5000 RT fixing kit for RENAULT MAGNUM -
MAGNUM CLASSIC - MULTIPASS CAB**

Cod. **80821180.1**

NOTE:



FRESCO 5000 RT fixing kit for RENAULT PREMIUM

Cod. **80821249.1**

NOTE:


Parking Cooler/Fresco



**FRESCO 5000 RT fixing kit for Renault T - Cab High
- MY 2014**

Cod. **80821370.1**

NOTE:




**Fresco 5000 RT fixing kit for SCANIA my 2016 -
NEW GENERATION**

Cod. **80821523.1**

NOTE:


Parking Cooler/Fresco



FRESCO 5000 RT fixing kit for SCANIA SERIES P - G
- R Top/ High line

Cod. **80821195.1**

NOTE:



Fresco 9000 MAXX

12 V

Cod.	121211447.1PO
Electric Absorption	90A (max AC) - 55A (min)
Voltage	12 V
Coolant	R134a
Ventilation speed	3
Weight of condensing unit	7 Kg
Weight of evaporating unit	5,2 Kg
Compressor box weight	11,8 Kg
Evaporating unit dimensions	385x330x135 mm
Condensing unit dimensions	544x155x354 mm
Dimensioni compressore	360x220x200 mm
Battery Protection	YES
Timer	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Daf Euro 6 XF-CF (12.9L)

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Daf Euro 6 XP-XG-XG+ New Generation My 2022

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Ford F-max 500 hp

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

24 V	
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Man TGX Euro 5

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

24 V	
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Man TGX Euro 6 (cylinder capacity 12.4L) cabin XL-XXL-XLX

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Man TGX Euro 6 (cylinder capacity 15.2L) Cabin XL-XXL-XLX

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Mercedes Actros E 6 (OM471 12.8L - OM473 15.6L)

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Mercedes Actros E 6 (OM939 7.7L)

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius New Man TGX Euro 6 (cylinder capacity 12.4L) GX-GM-GN cabin

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius New Man TGX Euro 6 (displacement 15.2L) cab GX-GM-GN

Fully integrated aftermarket parking air conditioning, designed for maximum comfort using the original ventilation system of the vehicle with the engine off. Kompatibel mit dem Fahrzeug-Kältemittel (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Renault "T" Euro 6 (step "B" engine) high cab

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Renault "T" Euro 6 (step "B" engine) low cab

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Renault "T" Euro 6 (step engine "C-D-E") high cab

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Renault "T" Euro 6 (step engine "C-D-E") low cab

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Scania E5-E6(1st-2nd series) 08-2022 CILINDRI 6 compressor sx without gear

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Scania E6 (first series) CYLINDERS 8 - 560V

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Scania E6 (second series) cylinders 8 - 580CV-590CV-730CV

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Scania E6 CYLINDERS 6 > 09/22 compressor dx direction of travel

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Scania E6(Second series) 8 cylinders - 520CV 530CV 770CV

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Stralis Euro 5/6 (Cursor 10-11-13) diesel and methane

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Stralis Euro 6 My 2019 (Cursor 11-13)

S WAY – X WAY

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Volvo Euro 6 (FH 13L-FH16 16L)

before 2018

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Volvo Euro 6 (FH 13L-FH16 16L) from 2018

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:



Fresco Genius Volvo Euro 6 FM -11-FM13 from 05/2023

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

	24 V
Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:

Parking Cooler/Fresco



Fresco Genius Volvo Euro 6 FM-11 until 04/2023

Fully integrated aftermarket parking air conditioner, made to ensure maximum comfort using the original ventilation system of the engine-off vehicle. Compatible with the vehicle's coolant (R134a - R1234yf).

24 V

Cod.	—
Coolant	R134a
Voltage	24 V
Cooling capacity	2800 Watt 9600BTU/h
Air flow	O.E. A/C System
Electric Absorption	17A Max AC 38A
Compressor box weight	10 kg
Dimensioni compressore	400x350x200
Remote Controller	YES

NOTE:




Mounting kit for FRESCO 3000 RT for Renault T - High Cab - MY 2014

Cod. 80821370

NOTE:


Parking Cooler/Fresco



**Mounting kit for FRESCO 5000 RT -IVECO STRALIS
AT-AD and EUROCARGO**

Cod. **80821202.1**

NOTE:



**Outing kit for FRESCO5000 RT for MB ACTROS MP3
(all cabs)**

Cod. **80821201.1**

NOTE:

Parking Cooler/Fresco



Power supply kit 24V-220V - 600 W with wire supplied

24 V - 220 V

Cod.	80821354
Voltage	24 V - 220 V

NOTE:




Power supply kit 24V-220V - 600 W with wire supplied

12 V - 220 V

Cod.	80821356
Voltage	12 V - 220 V

NOTE:

Parking Cooler/Fresco



Standard Montage-Kit for FRESCO 3000 RT new generation

Cod. **80821523**

NOTE:



Standard mounting kit for FRESCO 3000 RT for recreational vehicles

Cod. **80821398**

NOTE:

Parking Cooler/Fresco



Wiring extension for U-GO!

Cod.

60654464

NOTE:

THE REFRIGERATION BY AUTOCLIMA

HEADQUARTERS AND SUBSIDIARIES

Sede di Cambiano
Via Cavalieri di Vittorio
Veneto, 15
10020 Cambiano (TO)
Tel. +39 011 9443210
Fax +39 011 9443230
sales@autoclima.com

Indel B Germany GmbH
Robert Bosch Str. 3
64572 Büttelborn
Germany
Tel: +49 (6152) 187799 - 0
Fax: +49 (6152) 187799 - 9
info@autoclima.de

Autoclima Iberica
Oficinas: C/ Vapor, 1
Almacén: C/ Indústria,11
08760 Martorell
Barcelona (Spain)
Tel: +34 931 220 235
comercial@autoclima.com

Autoclima Polska
Szkolna 11
62-026 Gadki
Poland
Tel: +49 600751354
info@autoclima.pl

Autoclima Russia
143441, Moscow region,
Krasnogorsky district,
BP Greenwood,
bld 1, office 212
Tel +7 (495) 150-75-90
info@indelb-rus.ru

Indel B France
ZA des Perriers
78500 Sartrouville - France
T. +33 (1) 61.04.41.41
Fax +33 (1) 39.57.44.21
esc@esc-clim.com

SEA S.R.L.
Via L. Lama, 8 - 48026
Russi RA (Italia)
Tel. +39 0544 582436
+39 0544 583794
info@sea-italia.com

DEPOSITI ITALIA

Deposito Roma
Via Lucio Mariani, 59
00178 Roma - Italy
Tel. +39 06 32091591
Fax +39 06 32091592
autoclimaroma@autoclima.com

Deposito Bologna
Via della Fisica, 5 - loc. Cicogna
40068 San Lazzaro di Savena (BO)
Tel. +39 051 6256786
Fax +39 051 6250676
autoclimabologna@autoclima.com

Deposito Firenze
Via Boccaccio, 8
50013 Campi Bisenzio (FI)
Tel: +39 055 0540846
Fax: +39 055 0540847
autoclimafirenze@autoclima.com

Deposito Alba
Viale Artigianato 30C
12051 Alba (CN)
Tel. +39 051 6256786
Fax. +39 051 6250676
alba@autoclima.com

Deposito Rende
Contrada Piano di Maio
87036 Rende (CS)
Tel. +39 0984 447251

Deposito Pero
Via Buonarroti 2/B
20016 Pero (MI)
Tel: +39 0362 1860178
pero@autoclima.com

Deposito Padova
Via dell'Industria, 70
35129 Padova
Tel: +39 049 7160243
Fax: +39 049 7160244
padova@autoclima.com

Deposito Catania
Via Gioacchino Russo, 15 / A
95100 Catania
Tel: +39 095 3800043
Fax: +39 095 3800044
catania@autoclima.com

Deposito Bari
S.P. 231 KM1,110 70026
Modugno
Tel: +39 080/5354165
Fax: +39 3488809823
bari@autoclima.com