

indelB



AUTOCLIMA

SYSTEMS,
AIR CONDITIONING



AND
REFRIGERATION
SYSTEMS
FOR VEHICLES

Sales Conditions

1. GENERAL PROVISIONS

(a) The terms and conditions set out below (the "General Conditions of Sale") form an integral part of the contracts concluded between AUTOCLIMA and the Buyer for the supply of AUTOCLIMA products (the "Products");
 (b) The General Conditions of Sale apply to all transactions concluded between AUTOCLIMA and the Buyer without the need for an express reference to them or a specific agreement to this effect at the conclusion of each individual transaction. Any different condition or term applies only if confirmed in writing by AUTOCLIMA;
 (c) AUTOCLIMA reserves the right to modify, integrate or vary the General Conditions of Sale, attaching such variations to the offers or to any correspondence sent in writing to the Buyer. Such variations will be considered as accepted by the Buyer, after 30 (thirty) days from the date of receipt, without prejudice to the Buyer's right to declare in writing to AUTOCLIMA, within such term, any intention not to accept them.

2. ORDERS:

(a) All orders must be sent in writing (e-mail, post).
 (b) AUTOCLIMA's offers are always to be considered subject to final reconfirmation by AUTOCLIMA, even after acceptance by the Buyer, in particular with reference to quantities, prices and delivery terms.
 (c) Orders placed by the Buyer are not considered accepted until they have been confirmed in writing by AUTOCLIMA. In the event that AUTOCLIMA does not provide written confirmation of an order negotiated verbally, the issuing of the invoice by AUTOCLIMA or the execution of the order by AUTOCLIMA will be considered as confirmation.
 (d) Orders and/or changes to orders placed verbally or by telephone must be confirmed in writing by the Buyer. Otherwise AUTOCLIMA assumes no responsibility for any errors or possible misunderstandings.

3. PRICES:

unless otherwise agreed, orders will be processed according to the prices in force on their date of issue. The prices in the AUTOCLIMA price list are expressed in Euros (€) and are net of VAT and installation and replace and cancel all previous ones, together with any other previous communication in this regard. AUTOCLIMA reserves the right to change the prices in its price list without prior notice. Packaging is included in the price.

4. DELIVERY TERMS

(a) Unless otherwise agreed in writing, any delivery term indicated is not binding for AUTOCLIMA. Unless otherwise agreed between the parties, the indicative delivery term is that specified in the order confirmation;
 (b) AUTOCLIMA reserves the right to make partial deliveries, invoicing the Buyer for the products delivered;
 (c) Any liability for delivery resulting from force majeure or other unforeseeable events not attributable to AUTOCLIMA, including, without limitation, strikes, natural disasters, wars, lockouts, provisions of the public administration, subsequent blocks on export or import possibilities, in consideration of their duration and scope, release AUTOCLIMA from the obligation to respect any agreed delivery deadline;
 (d) AUTOCLIMA is not obliged to accept returns of products, unless expressly agreed in writing. Any costs incurred for this purpose are borne by the Buyer.

5. RETURNS:

all material is returned FCA Cambiano (TO). The goods travel at the buyer's risk. Faults, shortages or damages occurring during transport must be contested to the courier.

6. RETURNS OF GOODS:

returns of goods due to order cancellations or errors in the formulation of the order will be subject to prior written authorization by AUTOCLIMA. In any case, the material must be returned carriage paid and completely intact in all its parts. In addition, a flat rate reduction of 20% of the credit will be applied to cover the costs of management, control and restocking. In any case, returns of material are not permitted without written authorization by AUTOCLIMA SPA.

7. CONFIDENTIALITY:

the Buyer undertakes not to disclose or use, in ways other than those provided for by the contractual obligations, the commercial, corporate and technical data and information of which he may become aware during the execution of the contract itself.

8. PAYMENT:

Until full payment, the goods will remain the property of AUTOCLIMA SPA (without prejudice to the transfer of any risk relating to the same to the buyer). Any delay in payment will automatically generate the suspension of deliveries and any other service or provision in progress. Without prejudice to the legal actions that AUTOCLIMA intends to pursue, interest will also be applied equal to the discount rate published from time to time by the Bank of Italy, plus a penalty of 2% monthly, on the amount of the value due, calculated from the due date to the date of actual payment.

9. DUTY OF INSPECTION AND ACCEPTANCE OF THE PRODUCTS:

(a) Upon taking delivery of the Products, the Buyer must immediately:
 (i) check the quantities and packaging of the Products and record any objections in the delivery note as well as accepting the goods from the courier "with reservation";
 (ii) carry out a conformity check of the Products with respect to what is indicated in the order confirmation and record any discrepancy in the delivery note.
 (b) In the event of a complaint of defects, the Buyer must comply with the following procedures and terms:
 (i) the communication must be made within no more than 2 (two) working days from the date of receipt of the Products by the Buyer. In the event that the complaint relates to a defect that, despite the initial inspection, has remained hidden, the complaint must be made as soon as possible by the end of the working day on which the defect was discovered and, in any case, no later than 8 (eight) working days from the date of receipt of the Products;
 (ii) the detailed communication must be sent in writing to AUTOCLIMA within the terms indicated above. Any communication made by telephone will not be accepted;
 (iii) the communication must clearly specify the type and amount of the alleged defects, photographs proving the damage and shipping documents;
 (iv) the Buyer agrees to make the disputed Products available free of charge, upon simple request by AUTOCLIMA, for inspection; such inspection will be carried out by AUTOCLIMA or by an expert appointed by AUTOCLIMA.
 (c) No objection regarding the quantities, quality, type and packaging of the Products may be made except through communication on the delivery note, in accordance with the procedure indicated above.
 (d) Any Product for which no objection has been raised in accordance with the procedures and terms indicated above is considered approved and accepted by the Buyer.

10. PROCESSING OF PERSONAL DATA:

The Buyer's personal data will be processed in accordance with the provisions of the European and Italian legislation on the processing of personal data (EU Reg. 679/2016; Legislative Decree 196/2003 and subsequent amendments). AUTOCLIMA informs the Buyer that AUTOCLIMA SpA is the data controller and that the Buyer's personal data are collected and processed exclusively for the execution of this agreement and the obligations established by law, by a European regulation or by other applicable legislation. The Buyer declares to have received from AUTOCLIMA, before the collection of personal data by the same, the information referred to in art. 13 of EU Regulation 679/2016 intended for customers.

11. WARRANTY:

The warranty period for our products is 24 months from the date of installation on the vehicle, proven by the Warranty Certificate duly completed in all its parts and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. with a limit of 100,000 km travelled (or 1600 hours of operation). In the event that the Buyer is a private consumer, the warranty period will last 24 months from the date of installation on the vehicle, and in any case for a maximum period of 27 months from the date of delivery of the same by Autoclima S.p.A. Each A/C system component installed separately from other AUTOCLIMA products will not benefit from any Warranty. The air conditioners and refrigerators produced by AUTOCLIMA are exclusively intended for the conditioning of spaces occupied by people and the refrigeration of foodstuffs respectively. Any other use or application not expressly authorised in writing by AUTOCLIMA will void the warranty and release AUTOCLIMA from any liability for damage to people, animals or things. AUTOCLIMA will not be liable for defects in the products that are not covered by the legal guarantee of conformity, such as damage caused by normal wear and tear, accidents or unauthorised modifications. The Warranty is made operational only on interventions carried out by AUTOCLIMA Authorised Service Points. The validity of the Warranty ceases when the defect is attributable to incorrect installation, non-compliant use, lack of maintenance and for all transformations, modifications or interventions not authorised by AUTOCLIMA or not carried out by our Authorised Service Points. Consumable materials subject to natural wear and tear such as, for example, belts, filters, refrigerant, etc. are not covered by the warranty. For further details, refer to the "International Warranty Procedure".

12. USE OF THE BRAND:

the name, brand and logos representing AUTOCLIMA belong to the latter and cannot be used by the Buyer unless expressly authorised. The use of the trademark, logo and other distinctive signs of the company is permitted only with prior written authorization. The use of the trademark in such a way as to damage the reputation of the company or confuse consumers is prohibited. The trademark is protected by intellectual property laws. Any unauthorized use will be prosecuted.

13. APPLICABLE LAW AND JURISDICTION:

These general conditions of sale are governed by Italian law. The court of Turin has jurisdiction over any dispute.

14. FINAL PROVISIONS:

(a) The invalidity in whole or in part of individual provisions of these General Conditions of Sale does not affect the validity of the remaining provisions.
 (b) These General Conditions of Sale are drawn up in two languages: Italian and English. In the event of doubts of interpretation, the Italian version will prevail. Pursuant to and for the purposes of Articles 1341 and 1342 of the Italian Civil Code, the Buyer specifically approves the provisions referred to below: Art. 1 (b) - Applicability of the general conditions of sale to all contracts; Art. 3 - Prices and payment terms; Art. 4 - Delivery terms; Art. 5 - Returns; Art. 8 - Payment; Art. 9 - Duty to inspect and accept products; Art. 11 - Warranty terms; Art. 12 - Use of the trademark; Art. 13 - Applicable law and competent court; Art. 14 Final provisions.

Index

Air Conditioning

Air Sanitization Systems	pag. 5
Controls	pag. 8
Modula	pag. 18
Roof Top Units	pag. 26
UNIVERSAL ACCESSORIES	pag. 28
Universal Condensers	pag. 35
Universal Evaporators	pag. 42
Universal Heaters	pag. 57

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

AIR CONDITIONING

CONDIZIONAMENTO



AIR SANITIZATION SYSTEMS

AIR SANITIZATION
SYSTEMS

AIR SANITIZATION
SYSTEMS

AIR SANITIZATION
SYSTEMS

AIR SANITIZATION
SYSTEMS

Air Sanitization Systems



Tamandua - filter and pressurizer with combined Hepa+Carbon filter

	12V	24V
Cod.	AA0016ES	AA0017ES
Voltage	12V	24V
Product	SEA	SEA

NOTE:



Tamandua - filter and pressurizer with Hepa filter

	12V	24V
Cod.	AA0014ES	AA0015ES
Voltage	12V	24V
Product	SEA	SEA

NOTE:

Air Sanitization Systems



Tamandua - filter and presurriser with carbon filter

	12V	24V
Cod.	AA0012ES	AA0013ES
Voltage	12V	24V
Product	SEA	SEA

NOTE:

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

CONTROLS

Controls

ELECTRIC HEATING CONTROL-ELECTRIC HEATING CONTROL



	Cod.	Product	Voltage	
24V	AOZZO4ES	SEA	24V	

NOTE:

ELECTRIC HEATING CONTROL-ELECTRIC HEATING CONTROL



	Cod.	Product	Voltage	
12V	AOZZO3ES	SEA	12V	
24V	AOZZO4ES	SEA	24V	

NOTE:

Controls

**ELECTRONIC CONTROL UNIT RISHEATING-
ELECTRONIC HEATING CONTROL UNIT, WITH
VENTILATION CONTROL.**



	Cod.	Product	Voltage	
24V	A0ZZ07ES-24v	SEA	24V	

NOTE:

**ELECTRONIC CONTROL UNIT RISHEATING-
ELECTRONIC HEATING CONTROL UNIT, WITH
VENTILATION CONTROL.**



	Cod.	Product	Voltage	
12V	A0ZZ07ES-12v	SEA	12V	
24V	A0ZZ07ES-24v	SEA	24V	

NOTE:

Controls

**ELECTRONIC TEMPERATURE CONTROL-AIR
CONDITIONING CONTROL PANEL.**



	Cod.	Product	Voltage
24V	A0ZZ01ES-24v	SEA	24V

NOTE:

**ELECTRONIC TEMPERATURE CONTROL-AIR
CONDITIONING CONTROL PANEL.**



	Cod.	Product	Voltage
12V	A0ZZ01ES-12v	SEA	12V
24V	A0ZZ01ES-24v	SEA	24V

NOTE:

Controls

**ELECTRONIC THERMOSTAT-ELECTRONIC
THERMOSTAT WITH VENTILATION CONTROL.**



	Cod.	Product	Voltage
12V	A0ZZ05ES-12v	SEA	12V
24V	A0ZZ05ES-24v	SEA	24V

NOTE:

**ELECTRONIC THERMOSTAT-ELECTRONIC
THERMOSTAT WITH VENTILATION CONTROL.**



	Cod.	Product	Voltage
24V	A0ZZ05ES-24v	SEA	24V

NOTE:

Controls

HORIZON BASIC-ELECTRONIC CONTROL WITH TEMPERATURE DISPLAY



	Cod.	Product	Voltage
12V	A0ZZ14ES - (12v)	SEA	12V
24V	A0ZZ14ES - (24v)	SEA	24V

NOTE:

HORIZON BASIC-ELECTRONIC CONTROL WITH TEMPERATURE DISPLAY



	Cod.	Product	Voltage
24V	A0ZZ14ES - (24v)	SEA	24V

NOTE:

Controls

HORIZON MANUAL HVAC CONTROL-MANUAL HVAC ELECTRICAL CONTROL



	Cod.	Product	Voltage
24V	AOZZ00ES - (24v)	SEA	24V

NOTE:

HORIZON MANUAL HVAC CONTROL-MANUAL HVAC ELECTRICAL CONTROL



	Cod.	Product	Voltage
12V	AOZZ00ES - (12v)	SEA	12V
24V	AOZZ00ES - (24v)	SEA	24V

NOTE:

Controls

HORIZON MATHIC AUTOMATIC HVAC-AUTOMATIC CONTROL UNIT FOR TEMPERATURE CONTROL



	Cod.	Product	Voltage
12V	A0ZZ15ES - (12v)	SEA	12V
24V	A0ZZ15ES - (24v)	SEA	24V

NOTE:

HORIZON MATHIC AUTOMATIC HVAC-AUTOMATIC CONTROL UNIT FOR TEMPERATURE CONTROL



	Cod.	Product	Voltage
24V	A0ZZ15ES - (24v)	SEA	24V

NOTE:

Controls

HORIZON MATHIC PLUS-AUTOMATIC CONTROL UNIT FOR TEMPERATURE CONTROL



	Cod.	Product	Voltage
24V	A0ZZ16ES - (24V)	SEA	24V

NOTE:

HORIZON MATHIC PLUS-AUTOMATIC CONTROL UNIT FOR TEMPERATURE CONTROL



	Cod.	Product	Voltage
12V	A0ZZ16ES - (12V)	SEA	12V
24V	A0ZZ16ES - (24V)	SEA	24V

NOTE:

Controls

MANUAL A/C ELECTRIC CONTROL-MANUAL A/C ELECTRICAL CONTROL



	Cod.	Product	Voltage	
24V	A0ZZ06ES-24v	SEA	24V	

NOTE:

MANUAL A/C ELECTRIC CONTROL-MANUAL A/C ELECTRICAL CONTROL



	Cod.	Product	Voltage	
12V	A0ZZ06ES-12v	SEA	12V	
24V	A0ZZ06ES-24v	SEA	24V	

NOTE:

MODULA AIR CONDITIONING

MODULA AIR
CONDITIONING

MODULA AIR
CONDITIONING

MODULA AIR
CONDITIONING

MODULA AIR
CONDITIONING

Modula



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

96V

Cod.	AOFF60096ES
Product	SEA
Voltage	96V
Heating capacity	YES
Air flow	450 m3/h

NOTE:



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

24V

Cod.	AOFF60024ES
Product	SEA
Voltage	24V
Cooling capacity	2.8Kw
Heating capacity	YES
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

Modula



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

48V

Cod.	AOFF60048ES
Product	SEA
Voltage	48V
Cooling capacity	3Kw
Heating capacity	YES
Electric Absorption	22A
Weigh	32.5kg
Air flow	450 m3/h

NOTE:



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

80V

Cod.	AOFF60080ES
Product	SEA
Voltage	80V
Cooling capacity	3Kw
Heating capacity	YES
Electric Absorption	14A
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

Modula



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

48V

Cod.	AOCF60048ES
Product	SEA
Voltage	48V
Cooling capacity	3Kw
Heating capacity	1,6Kw
Electric Absorption	22A
Weigh	32.5kg
Air flow	450 m3/h

NOTE:



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

80V

Cod.	AOCF60080ES
Product	SEA
Voltage	80V
Cooling capacity	3Kw
Heating capacity	1,6Kw
Electric Absorption	14A
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

Modula



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

96V

Cod.	AOCF60096ES
Product	SEA
Voltage	96V
Air flow	450 m3/h

NOTE:



Pataca-Electric air conditioner FORKLIFT

Electric roof air conditioning with electric compressor included.

24V

Cod.	AOCF60024ES
Product	SEA
Voltage	24V
Cooling capacity	2.8Kw
Heating capacity	1,6Kw
Weigh	32.5kg
Air flow	450 m3/h

NOTE:

Modula



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

96V

Cod.	A0FF70096ES
Product	SEA
Voltage	96V
Heating capacity	YES
Air flow	450 m3/h

NOTE:



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

48V

Cod.	A0FF70048ES
Product	SEA
Voltage	48V
Heating capacity	YES
Air flow	450 m3/h

NOTE:

Modula



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

80V

Cod.	AOFF70080ES
Product	SEA
Voltage	80V
Heating capacity	YES
Air flow	450 m ³ /h

NOTE:



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

48V

Cod.	AOCF70048ES
Product	SEA
Voltage	48V
Air flow	450 m ³ /h

NOTE:

Modula



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

80V

Cod.	AOCF70080ES
Product	SEA
Voltage	80V
Air flow	450 m3/h

NOTE:



ZAVORRA-Electric air conditioner FORKLIFT

Electric Zavorra air conditioning with electric compressor included.

96V

Cod.	AOCF70096ES
Product	SEA
Voltage	96V
Air flow	450 m3/h

NOTE:

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

ROOF TOP UNITS

Roof Top Units



TROPICO-ROOF AIR CONDITIONER

	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow	
12V	A0CF003ES	SEA	12V	8.3Kw	5.6Kw	38.8A	29kg	1080 m3/h	
24V	A0CF004ES	SEA	24V	8.3Kw	5.6Kw	18.5A	29kg	1100.m3/h	

NOTE:

UNIVERSAL ACCESSORIES

UNIVERSAL
ACCESSORIES

UNIVERSAL
ACCESSORIES

UNIVERSAL
ACCESSORIES

UNIVERSAL
ACCESSORIES

UNIVERSAL ACCESSORIES

X-SYSTEM 4500-KIT COUNIVERSAL CONDITIONER UNDER ROOF



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Weigh	Air flow
12V	8080000010CF	SEA	12V	6.8Kw	6Kw	7,4kg	750 m3/h
24V	8080000011CF	SEA	24V	6.8Kw	6Kw	7,4kg	750 m3/h

NOTE:

X-SYSTEM 5000-KIT UNIVERSAL UNDER-ROOF AIR CONDITIONER



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow
12V	8080000020CF	SEA	12V	6.8Kw	6Kw	15A	7,4kg	690.m3/h
24V	8080000021CF	SEA	24V	6.8Kw	6Kw	8,2A	7,4kg	750 m3/h

NOTE:

UNIVERSAL ACCESSORIES

X-SYSTEM 5500-UNIVERSAL AIR CONDITIONER KIT



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow
12V	808000030CF - (12v)	SEA	12V	5.5Kw	4Kw	20A	7,8kg	510.m3/h
24V	808000031CF - (24v)	SEA	24V	5.5Kw	4Kw	11A	7,8kg	530 m3/h

NOTE:

X-SYSTEM 5500-UNIVERSAL AIR CONDITIONER KIT



	Cod.	Product	Voltage	Cooling capacity	Electric Absorption	Weigh	Air flow
12V	808000030FF - (12v)	SEA	12V	5.5Kw	20A	7,8kg	510.m3/h
24V	808000031FF - (24v)	SEA	24V	5.5Kw	11A	7,8kg	530 m3/h

NOTE:

UNIVERSAL ACCESSORIES

X-SYSTEM 6000-UNIVERSAL AIR CONDITIONING KIT



	Cod.	Product	Voltage
12V	808000040FF - (12v)	SEA	12V
24V	808000041FF - (24v)	SEA	24V

NOTE:

X-SYSTEM 6000-UNIVERSAL AIR CONDITIONING KIT



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow
12V	808000040CF - (12v)	SEA	12V	5.5Kw	4Kw	20A	7,8kg	410.m3/h
24V	808000041CF - (24v)	SEA	24V	5.5Kw	4Kw	11A	7,8kg	450 m3/h

NOTE:

UNIVERSAL ACCESSORIES

X-SYSTEM 6500-UNIVERSAL AIR CONDITIONER KIT



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow
12V	8080000050CF - (12v)	SEA	12V	8KW	6Kw	15A	9.8kg	750 m3/h
24V	8080000051CF - (24v)	SEA	24V	8KW	6Kw	8A	9.8kg	750 m3/h

NOTE:

X-SYSTEM 6500-UNIVERSAL AIR CONDITIONER KIT



	Cod.	Product	Voltage	Cooling capacity	Electric Absorption	Weigh	Air flow
12V	8080000050FF - (12v)	SEA	12V	8KW	15A	9.8kg	750 m3/h
24V	8080000051FF - (24v)	SEA	24V	8KW	8A	9.8kg	750 m3/h

NOTE:

UNIVERSAL ACCESSORIES

X-SYSTEM 7000-UNIVERSAL AIR CONDITIONING KIT



	Cod.	Product	Voltage	Cooling capacity	Heating capacity	Electric Absorption	Weigh	Air flow
12V	8080000060CF - (12v)	SEA	12V	8KW	6Kw	15A	9,8kg	750 m3/h
24V	8080000061CF - (24v)	SEA	24V	8KW	6Kw	8A	9,8kg	750 m3/h

NOTE:

X-SYSTEM 7000-UNIVERSAL AIR CONDITIONING KIT



	Cod.	Product	Voltage	Cooling capacity	Electric Absorption	Weigh	Air flow
12V	8080000060FF - (12v)	SEA	12V	8KW	15A	9,8kg	750 m3/h
24V	8080000061FF - (24v)	SEA	24V				750 m3/h

NOTE:

UNIVERSAL ACCESSORIES

X-SYSTEM 8000-UNIVERSAL AIR CONDITIONING KIT



	Cod.	Product	Voltage
12V	8080000080CF	SEA	12V
24V	8080000081CF	SEA	24V

NOTE:

**UNIVERSAL
CONDENSERS**

UNIVERSAL

CONDENSERS

UNIVERSAL

CONDENSERS

UNIVERSAL

CONDENSERS

UNIVERSAL

CONDENSERS

Universal Condensers

BASTERD-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00297ES	SEA	12V	2x8.7A	7.2kg	2x1360.m3/h
24V	A00298ES	SEA	24V	2x5.0A	7.2kg	2x1340.m3/h

NOTE:

CIÒ-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00229ES - A00229ES/1	SEA	12V	2x8.7A	6kg	2x1360.m3/h
24V	A00230ES - A00230ES/1	SEA	24V	2x5.0A	6kg	2x1340.m3/h

NOTE:

Universal Condensers

COSP-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Air flow
12V	A00205ES	SEA	12V	8.7A	1360.m3/h
24V	A00206ES	SEA	24V	5.0A	1340.m3/h

NOTE:

DBUDA-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00200ES - A00200ES/1	SEA	12V	8.7A	5kg	1360.m3/h
24V	A00201ES-12v	SEA	24V	5.0A	5kg	1340.m3/h

NOTE:

Universal Condensers

GRANDAZ-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00295ES - A00295ES/1	SEA	12V	2x6.7A	13.8kg	2x1060.m3/h
24V	A00296ES	SEA	24V	2x3.7A	13.8kg	2x1070.m3/h

NOTE:

INVELL-CAPACITOR FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00300ES - A00300ES/1	SEA	12V	3x4.4A	10kg	3x620.m3/h
24V	A00301ES	SEA	24V	3x2.4A	10kg	3x650.m3/h

NOTE:

Universal Condensers

OSCIà-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00262ES - A00262ES/1	SEA	12V	2x6.7A	7.2kg	2x1060.m3/h
24V	A00263ES	SEA	24V	2x3.7A	7.2kg	2x1070.m3/h

NOTE:

PACIUG-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00209ES	SEA	12V	7.8A	5kg	1430.m3/h
24V	A00210ES	SEA	24V	4.5A	5kg	1520.m3/h

NOTE:

Universal Condensers

STUGLè GRAND-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00227ES - A00227ES/1	SEA	12V	2x8.7A	8.8kg	2x1360.m3/h
24V	A00228ES	SEA	24V	2x8.7A	8.8kg	2x1360.m3/h

NOTE:

STUGLè-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow
12V	A00225ES	SEA	12V	13.5A	7.2kg	2250.m3/h
24V	A00226ES	SEA	24V	13.5A	7.2kg	2250.m3/h

NOTE:

Universal Condensers

SVARNAZA-CONDENSER FOR AIR CONDITIONING SYSTEMS.



	Cod.	Product	Voltage	Electric Absorption	Weigh	Air flow	
12V	A00302ES	SEA	12V	2x13.5A	12kg	2x2250.m3/h	
24V	A00303ES	SEA	24V	2x6.5A	12kg	2x2280.m3/h	

NOTE:

UNIVERSAL EVAPORATORS

UNIVERSAL

EVAPORATORS

UNIVERSAL

EVAPORATORS

UNIVERSAL

EVAPORATORS

UNIVERSAL

EVAPORATORS

Universal Evaporators



Basic HVAC-Under roof standard HVAC unit.

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF83ES	AOCF84ES
Product	SEA	SEA
Voltage	12V	24V

NOTE:



Basic-Universal ceiling air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF83ES	AOFF84ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	6.8Kw	6.8Kw
Electric Absorption	15.5A	8.5A
Weigh	5kg	5kg
Air flow	690.m3/h	690.m3/h

NOTE:

Universal Evaporators



Classic Standard under roof HVAC system.

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF79ES	AOCF80ES
Product	SEA	SEA
Voltage	12V	24V

NOTE:



Classic-Universal ceiling air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF79ES	AOFF80ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	6.8Kw	6.9Kw
Electric Absorption	8.5A	8.6A
Weigh	7kg	8kg
Air flow	690.m3/h	690.m3/h

NOTE:

Universal Evaporators



E Fighèt-Universal Air Conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF00154-00	AOCF00155-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	5.5Kw	5.5Kw
Heating capacity	4.5Kw	4.5Kw
Electric Absorption	14A	7A
Weigh	4kg	4kg
Air flow	600 m3/h	600 m3/h

NOTE:



E Fighèt-Universal conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF00154-00	AOFF00155-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	5.5Kw	5.5Kw
Electric Absorption	14A	7A
Weigh	3.8kg	3.8kg
Air flow	600 m3/h	600 m3/h

NOTE:

Universal Evaporators



Geval Do-Universal Air Conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF52ES	AOCF53ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	9.8Kw	9.8Kw
Heating capacity	10Kw	10Kw
Electric Absorption	26.4A	9.1A
Air flow	910.m3/h	970.m3/h

NOTE:



Giazz-Universal air conditioner (final stock)

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF005ES	AOFF006ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	9.54Kw	9.54Kw
Electric Absorption	21A	1,2A
Air flow	1080 m3/h	1100.m3/h

NOTE:

Universal Evaporators



Londra V-Vertical universal air conditioner (on demand)

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF44ES	AOCF45ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	9.5Kw	9.5Kw
Heating capacity	8Kw	8Kw
Electric Absorption	25.3A	1,2A
Weigh	5.8kg	5.8kg
Air flow	1080 m ³ /h	1100.m ³ /h

NOTE:



Londra-Universal air conditioning

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF46ES	AOCF47ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	9Kw	9Kw
Heating capacity	9Kw	9Kw
Electric Absorption	21A	1,2A
Weigh	5.8kg	5.8kg
Air flow	1080 m ³ /h	1100.m ³ /h

NOTE:

Universal Evaporators



Maxxum-Universal air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF144ES-00	AOFF145ES-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	15Kw	15Kw
Electric Absorption	2x14A	2x7A
Weigh	-	-
Air flow	2x800.m3/h	2x800.m3/h

NOTE:



Maxxum-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF144ES-00	AOCF145ES-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	15Kw	15Kw
Heating capacity	14Kw	14Kw
Electric Absorption	2x14.1A	2x7.1A
Weigh	-kg	
Air flow	2x800.m3/h	2x790.m3/h

NOTE:

Universal Evaporators



Midi-Universal air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF142ES	AOFF143ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	6.5Kw	6.5Kw
Electric Absorption	1,2A	7A
Weigh	5.4kg	5.4kg
Air flow	480.m3/h	480.m3/h

NOTE:



Midi-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF142ES-00	AOCF143ES-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	6.5Kw	6.5Kw
Heating capacity	5.6Kw	5.6Kw
Electric Absorption	19.6A	10.4A
Weigh	5.4kg	5.4kg
Air flow	540.m3/h	560.m3/h

NOTE:

Universal Evaporators



Ravena-Universal air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF74ES	AOFF75ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8.7Kw	8.7Kw
Electric Absorption	18A	10A
Weigh	5kg	5kg
Air flow	800 m3/h	800 m3/h

NOTE:



Ravena-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF74ES	AOCF75ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8.7Kw	8.7Kw
Heating capacity	7Kw	7Kw
Electric Absorption	21A	1,2A
Weigh	5.8kg	5.8kg
Air flow	1080 m3/h	1100.m3/h

NOTE:

Universal Evaporators



Sburon-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF00201ES	AOCF00202ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8.5Kw	8.5Kw
Heating capacity	7.5Kw	7.5Kw
Electric Absorption	15A	8A
Weigh	9.8kg	9.8kg
Air flow	750 m3/h	750 m3/h

NOTE:



Sciadur-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF102ES	AOCF103ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8.5Kw	8.5Kw
Heating capacity	9Kw	9Kw
Electric Absorption	28.2A	14.1A

NOTE:

Universal Evaporators



Vertical grande-Universal air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF14ES	AOFF15ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8.3Kw	8.3Kw
Electric Absorption	15.2A	8.5A
Weigh	9kg	9kg
Air flow	680.m3/h	680.m3/h

NOTE:



Vertical grande-Universal vertical air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF00127-00	AOCF00128-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8KW	8KW
Heating capacity	6Kw	6Kw
Electric Absorption	15A	8A
Weigh	9.8kg	9.8kg
Air flow	750 m3/h	750 m3/h

NOTE:

Universal Evaporators



Vertical grande-Universal Vertical Air Conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF00114-00	AOFF00115-00
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8KW	8KW
Electric Absorption	15A	8A
Weigh	9kg	9kg
Air flow	750 m3/h	750 m3/h

NOTE:



Vertical medio-Universal vertical air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF64ES	AOCF65ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	7.8Kw	7.8Kw
Heating capacity	5.6Kw	5.6Kw
Electric Absorption	15.1A	5.7A
Weigh	9.8kg	9.8kg
Air flow	690.m3/h	400.m3/h

NOTE:

Universal Evaporators



Vertical medio-Universal vertical air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF30ES	AOFF31ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	7.3Kw	7.3Kw
Electric Absorption	8A	8A
Weigh	8.8kg	8.8kg
Air flow	630.m3/h	630.m3/h

NOTE:



Vertical piccolo-Universal vertical air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOFF16ES	AOFF17ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	6Kw	6Kw
Electric Absorption	1,2A	8A
Weigh	7.8kg	7.8kg
Air flow	450 m3/h	450 m3/h

NOTE:

Universal Evaporators



Vertical piccolo-wall mounted HVAC unit.

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF34ES	AOCF35ES
Product	SEA	SEA
Voltage	12V	24V

NOTE:



Vicheng-Universal air conditioner

Universal air conditioner for earthmoving, agricultural and special machines.

	12V
Cod.	AOFF00140ES
Product	SEA
Voltage	12V
Cooling capacity	8KW
Electric Absorption	14.1A
Air flow	800 m3/h

NOTE:

Universal Evaporators



Vicheng-Universal air conditioner

Universal air conditioning for earthmoving, agricultural and special machines.

	12V	24V
Cod.	AOCF00140ES	AOCF00141ES
Product	SEA	SEA
Voltage	12V	24V
Cooling capacity	8KW	8KW
Heating capacity	8Kw	8Kw
Electric Absorption	14.1A	7.1A
Weigh	5.3kg	5.3kg
Air flow	800 m3/h	790.m3/h

NOTE:

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

UNIVERSAL HEATERS

Universal Heaters

BAJOC- HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC66ES	SEA	12V	3.8Kw	4A	1.4kg	170.m3/h
24V	A0CC67ES	SEA	24V	3.8Kw	5A	1.4kg	170.m3/h

NOTE:

BAJOC- HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC68ES	SEA	12V	3.8Kw	4A	1.4kg	170.m3/h
24V	A0CC69ES	SEA	24V	3.8Kw	5A	1.4kg	170.m3/h

NOTE:

Universal Heaters

BASIC-CEILING HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V	A0CC86ES	SEA	24V	6Kw	15.5A	3.4kg	690.m3/h

NOTE:

BASIC-CEILING HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC85ES	SEA	12V	6Kw	15.5A	3.4kg	690.m3/h
24V	A0CC86ES	SEA	24V	6Kw	15.5A	3.4kg	690.m3/h

NOTE:

Universal Heaters

BURDEL- HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC95ES	SEA	12V	3.8Kw	4A	1.4kg	170.m3/h
24V	A0CC96ES	SEA	24V	3.8Kw	2.5A	1.4kg	170.m3/h

NOTE:

CLASSIC MINI-CEILING HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC0087-00	SEA	12V	6Kw	15.5A	5.8kg	690.m3/h
24V	A0CC0088-00	SEA	24V	6Kw	8.5A	5.8kg	690.m3/h

NOTE:

Universal Heaters

CLASSIC-CEILING HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC79ES	SEA	12V	6Kw	15.5A	5.8kg	690.m3/h
24V	A0CC80ES	SEA	24V	6Kw	8.5A	5.8kg	690.m3/h

NOTE:

E FIGHÈT-ORIZONTAL HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC00154-00	SEA	12V	7.98Kw	14A	3.7kg	600 m3/h
24V	A0CC00155-00	SEA	24V	4.5Kw	7A	3.7kg	600 m3/h

NOTE:

Universal Heaters



E FIGHèT-ORIZONTAL HEATER

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V	A0CC00155-00	SEA	24V	4.5Kw	7A	3.7kg	600 m3/h

NOTE:



E ZET-UNIVERSAL HEATING

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC00083-00	SEA	12V	6.5Kw	14A	2.8kg	450 m3/h
24V	A0CC00084-00	SEA	24V	6.5Kw	7A	2.8kg	450 m3/h

NOTE:

Universal Heaters

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/96V	AOCC28ES-12v96v	SEA	12V/96V	2.8kg	210.m3/h

NOTE:

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
24V/48V	AOCC28ES-24v48v	SEA	24V/48V	2.8kg	210.m3/h

NOTE:

Universal Heaters

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/120V	AOCC28ES-12v120v	SEA	12V/120V	2.8kg	210.m3/h

NOTE:

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
24V/80V	AOCC28ES-24v80v	SEA	24V/80V	2.8kg	210.m3/h

NOTE:

Universal Heaters

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
24V/120V	AOCC28ES-24v120v	SEA	24V/120V	2.8kg	210.m3/h

NOTE:

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
24V/24V	AOCC28ES-24v24v	SEA	24V/24V	2.8kg	210.m3/h

NOTE:

Universal Heaters

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/36V	A0CC28ES-12v36v	SEA	12V/36V	2.8kg	210.m3/h

NOTE:

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/12V	A0CC28ES-12v12v	SEA	12V/12V	2.8kg	210.m3/h

NOTE:

Universal Heaters

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/80V	AOCC28ES-12v80v	SEA	12V/80V	2.8kg	210.m3/h

NOTE:

GARDELA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Weigh	Air flow
12V/48V	AOCC28ES-12v48v	SEA	12V/48V	2.8kg	210.m3/h

NOTE:

Universal Heaters

MIDI-HEATER UNDER SEAT



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC142ES	SEA	12V	5.6Kw	1,2A	4kg	480.m3/h
24V	A0CC143ES	SEA	24V	5.6Kw	7A	4kg	480.m3/h

NOTE:

MIDI-HEATER UNDER SEAT



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC97ES	SEA	12V	7.2Kw	1,2A	4kg	480.m3/h
24V	A0CC98ES	SEA	24V	7.2Kw	7A	4kg	480.m3/h

NOTE:

Universal Heaters



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/120V	AOCC26ES-24v120v	SEA	24V/120V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/80V	AOCC26ES-24v80v	SEA	24V/80V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/48V	AOCC26ES-24v48v	SEA	24V/48V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/48V	AOCC26ES-12v48v	SEA	12V/48V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBIERA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/36V	A0CC26ES-12v36v	SEA	12V/36V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBIERA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/80V	A0CC26ES-12v80v	SEA	12V/80V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/12V	A0CC26ES-12v12v	SEA	12V/12V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:



NIBIERA-ELECTRIC HEATER PTC

	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/120V	A0CC26ES-12v120v	SEA	12V/120V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBIERA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/96V	A0CC26ES-12v96v	SEA	12V/96V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBIERA-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/24V	A0CC26ES-24v24v	SEA	24V/24V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/24V	A0CC27ES-24v24v	SEA	24V/24V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/48V	A0CC27ES-24v48v	SEA	24V/48V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/96V	A0CC27ES-12v96v	SEA	12V/96V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/120V	A0CC27ES-12v120v	SEA	12V/120V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/48V	A0CC27ES-12v48v	SEA	12V/48V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/120V	A0CC27ES-24v120v	SEA	24V/120V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/36V	A0CC27ES-12v36v	SEA	12V/36V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/12V	A0CC27ES-12v12v	SEA	12V/12V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
24V/80V	A0CC27ES-24v80v	SEA	24V/80V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

NIBION-ELECTRIC HEATER PTC



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V/80V	A0CC27ES-12v80v	SEA	12V/80V	0.9Kw	4A	2.8kg	170.m3/h

NOTE:

Universal Heaters

PLEDA-VERTICAL HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Weigh	Air flow
12V	A0CC20ES	SEA	12V	3.8Kw	4.5A	4.2kg	170.m3/h
24V	A0CC21ES	SEA	24V	3.8Kw	2.5A	1.4kg	170.m3/h

NOTE:

VICHENG-HORIZONTAL HEATER



	Cod.	Product	Voltage	Heating capacity	Electric Absorption	Air flow
12V	A0CC00140ES	SEA	12V	7.98Kw	14.1A	800 m3/h
24V	A0CC00141ES	SEA	24V	7.98Kw	7.1A	790.m3/h

NOTE:

THE REFRIGERATION BY AUTOCLIMA

HEADQUARTERS AND SUBSIDIARIES

Sede di Cambiano
Via Cavalieri di Vittorio
Veneto, 15
10020 Cambiano (TO)
Tel. +39 011 9443210
Fax +39 011 9443230
sales@autoclima.com

Indel B Germany GmbH
Robert Bosch Str. 3
64572 Büttelborn
Germany
Tel: +49 (6152) 187799 - 0
Fax: +49 (6152) 187799 - 9
info@autoclima.de

Autoclima Iberica
Oficinas: C/ Vapor, 1
Almacén: C/ Indústria,11
08760 Martorell
Barcelona (Spain)
Tel: +34 931 220 235
comercial@autoclima.com

Autoclima Polska
Szkolna 11
62-026 Gadki
Poland
Tel: +49 600751354
info@autoclima.pl

Autoclima Russia
143441, Moscow region,
Krasnogorsky district,
BP Greenwood,
bld 1, office 212
Tel +7 (495) 150-75-90
info@indelb-rus.ru

Indel B France
ZA des Perriers
78500 Sartrouville - France
T. +33 (1) 61.04.41.41
Fax +33 (1) 39.57.44.21
esc@esc-clim.com

SEA S.R.L.
Via L. Lama, 8 - 48026
Russi RA (Italia)
Tel. +39 0544 582436
+39 0544 583794
info@sea-italia.com

DEPOSITI ITALIA

Deposito Roma
Via Lucio Mariani, 59
00178 Roma - Italy
Tel. +39 06 32091591
Fax +39 06 32091592
autoclimaroma@autoclima.com

Deposito Bologna
Via della Fisica, 5 - loc. Cicogna
40068 San Lazzaro di Savena (BO)
Tel. +39 051 6256786
Fax: +39 051 6250676
autoclimabologna@autoclima.com

Deposito Firenze
Via Boccaccio, 8
50013 Campi Bisenzio (FI)
Tel: +39 055 0540846
Fax: +39 055 0540847
autoclimafirenze@autoclima.com

Deposito Alba
Viale Artigianato 30C
12051 Alba (CN)
Tel. +39 051 6256786
Fax. +39 051 6250676
alba@autoclima.com

Deposito Rende
Contrada Piano di Maio
87036 Rende (CS)
Tel. +39 0984 447251

Deposito Pero
Via Buonarroti 2/B
20016 Pero (MI)
Tel: +39 0362 1860178
pero@autoclima.com

Deposito Padova
Via dell'Industria, 70
35129 Padova
Tel: +39 049 7160243
Fax: +39 049 7160244
padova@autoclima.com

Deposito Catania
Via Gioacchino Russo, 15 / A
95100 Catania
Tel: +39 095 3800043
Fax: +39 095 3800044
catania@autoclima.com

Deposito Bari
S.P. 231 KM1,110 70026
Modugno
Tel: +39 080/5354165
Fax: +39 3488809823
bari@autoclima.com